



12480 Superior Ct., Suite #1  
 Holland, MI 49424  
 616-355-2970  
<https://dri-design.com/env-collection>

Date:

## EN-V - VS Series Order Form

Customer Information		Project Information	
Company:		Project Name :	
Street Address:		City:	
City:		State:	
State:		Zip Code:	
Zip Code:			
Contact:			
email address:			
Phone #:			

### Color Choices

<b>Standard 2-Coat Paint</b>	<b>Standard 2-Coat Mica Paint</b>

### Panel Size / Quantity

	<b>Quantity</b>	<b>Size</b>		<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;"><b>VERTICAL EN-V VS SERIES PANELS ARE NOT COMPATIBLE FOR INTEGRATION WITH OUR HORIZONTAL EN-V VS SERIES PANELS WITHIN THE SAME SYSTEM. DO NOT USE THE PANELS IN THIS MANNER..</b></p> </div>
		W	H	
		18"	48"	
		18"	60"	
		18"	72"	
		24"	48"	
		24"	60"	
	24"	72"		

## WIND LOAD CLIPS

EN-V VS PANELS REQUIRE THE INSTALLATION OF WIND CLIPS. DO NOT USE THE PANELS WITHOUT WIND CLIPS. WIND CLIPS MUST BE POSITIONED NO FURTHER THAN 24 INCHES ON CENTER. IT IS REQUIRED THAT EN-V VS DRI-DESIGN PANELS ARE INSTALLED ONTO A MINIMUM 5/8" PLYWOOD OR A MINIMUM 18-GAUGE HAT-CHANNEL AT ALL PANEL ATTACHMENT POINTS INCLUDING WIND CLIP ATTACHMENT POINTS. OSB IS NOT A SUITABLE SUBSTRATE FOR ATTACHMENT. DO NOT INSTALL THE PANELS ONTO OSB. IT IS ASSUMED THE ATTACHMENT STRUCTURE CAN WITHSTAND THE FORCES IMPOSED BY THE DRI-DESIGN PANELS SYSTEM. CUSTOMER IS RESPONSIBLE FOR OBTAINING APPROVAL FROM THE PROJECT ENGINEER OF RECORD OR OTHER STRUCTURAL ENGINEER THAT THE USE OF THE PANELS AND THE INSTALLATION METHOD ARE SUITABLE FOR THE FIELD CONDITIONS AND WIND LOAD REQUIREMENTS FOR THE SITE. DRI-DESIGN HAS NOT APPROVED THE USE OR INSTALLATION METHODS UNLESS SPECIFICALLY NOTED IN WRITING WITH A STRUCTURAL ENGINEER'S STAMP. WIND LOADING IS A CRITICAL FACTOR FOR USE OF THE DRI-DESIGN PANEL SYSTEMS. THERE ARE RESTRICTIONS ON USE OF THE PANELS THAT MUST BE FOLLOWED. THOSE RESTRICTIONS INCLUDE: (1) USE ONLY IN NON-COASTAL AREAS (PER ASCE-7, 2010 CODE WIND SPEED MAY BE NO MORE THAN 115 MPH), (2) USE ONLY ON BUILDING THAT DO NOT EXCEED 60 FEET IN HEIGHT, (3) USE ONLY ON NON-ESSENTIAL BUILDINGS (DO NOT USE ON SCHOOLS, HOSPITALS, GOVERNMENT FACILITIES OR OTHER STRUCTURES INCLUDED WITHIN RISK CATEGORY III IN ASCE-7, 2010 CODE), AND (4) USE ONLY ON BUILDINGS INCLUDED IN EXPOSURE CATEGORIES A, B, OR C IN ASCE-7, 2010 CODE. IF ANY OF THESE RESTRICTIONS ARE NOT SATISFIED DRI-DESIGN MUST BE CONTACTED FOR A COMPLETE ENGINEERING REVIEW OF THE PROJECT.

Date:

## Extrusion / Trims / Flat Sheets & Accessories

Large 2-Piece J Extrusion



Quantity:

Large Outside Corner Extrusion



Quantity:

48" x 120" x .040 Flat Sheet - Painted One Side



Quantity:

Custom Trims and Flashings

**Please Provide profiles On EN-V Trim  
Order Form**

Quantity: